

Neutrinos, Higgs & Flavour

João Penedo, CFTP/IST

13 May 2022



Fields: Neutrinos, Higgs & Flavour



João Penedo, CFTP/IST

13 May 2022




Neutrinos

Neutrinos




$\sim 70\,000\,000\,000 \text{ cm}^{-2} \text{ s}^{-1}$

Neutrinos




Neutrinos



$$|\nu_\alpha\rangle = (U_{\text{PMNS}})_{\alpha k}^* |\nu_k\rangle$$


Neutrinos



$$|\nu_\alpha\rangle = (U_{\text{PMNS}})^*_{\alpha k} |\nu_k\rangle$$

$$P(\nu_\alpha \rightarrow \nu_\beta) = (U_{\text{PMNS}})_{\alpha k}^* (U_{\text{PMNS}})_{\beta k} (U_{\text{PMNS}})_{\alpha j} (U_{\text{PMNS}})_{\beta j}^* \exp \left(-i \frac{\Delta m_{kj}^2 L}{2E} \right)$$

Neutrinos




$$|\nu_\alpha\rangle = (U_{\text{PMNS}})_{\alpha k}^* |\nu_k\rangle$$

$$P(\nu_\alpha \rightarrow \nu_\beta) = (U_{\text{PMNS}})_{\alpha k}^* (U_{\text{PMNS}})_{\beta k} (U_{\text{PMNS}})_{\alpha j} (U_{\text{PMNS}})_{\beta j}^* \exp \left(-i \frac{\Delta m_{kj}^2 L}{2E} \right)$$

$$\Delta m_{kj}^2 = m_k^2 - m_j^2$$

Neutrinos



$$|\nu_\alpha\rangle = (U_{\text{PMNS}})_{\alpha k}^* |\nu_k\rangle$$





for Particle Physics since 1960



for Particle Physics since 1960





for Particle Physics since 1960



Neutrinos, Higgs & Flavour

Higgs

The Higgs boson

Gotcha!

The hunt for physics's most elusive quarry is over

Jul 7th 2012 | From the print edition

 Like  Tweet

481

120



World politics

| Business & finance

| Economics

| Science & technology

| Culture

| Blogs


Higgs

The Higgs boson

Gotcha!

The hunt for physics's most elusive quarry is over

Jul 7th 2012 | From the print edition



From: A.M.Coutinho
Master Thesis

[World politics](#)[Business & finance](#)[Economics](#)[Science & technology](#)[Culture](#)[Blogs](#)

Higgs


The Higgs boson**Gotcha!****The hunt for physics's most elusive quarry is over**

Jul 7th 2012 | From the print edition

$$\rho = \frac{\sum_{i=1}^n \left[I_i (I_i + 1) - \frac{1}{4} Y_i^2 \right] v_i}{\sum_{i=1}^n \frac{1}{2} Y_i^2 v_i}$$




Neutrinos, Higgs & Flavour



From: A.Toorop PhD Thesis

Flavour




From: A.Toorop PhD Thesis

Flavour


$$U_{\text{PMNS}} \sim \begin{bmatrix} v_e & \begin{matrix} \text{blue square} & \text{red square} & \text{red dot} \end{matrix} \\ v_\mu & \begin{matrix} \text{red square} & \text{red square} & \text{purple square} \end{matrix} \\ v_\tau & \begin{matrix} \text{red square} & \text{red square} & \text{purple square} \end{matrix} \end{bmatrix}$$

$$V_{\text{CKM}} \sim \begin{bmatrix} u & \begin{matrix} \text{blue square} & \text{red dot} & \text{red dot} \end{matrix} \\ c & \begin{matrix} \text{red dot} & \text{blue square} & \text{red dot} \end{matrix} \\ t & \begin{matrix} \text{red dot} & \text{red dot} & \text{blue square} \end{matrix} \end{bmatrix}$$

From: P.Novichkov Discrete 2018 slides



From: A.Toorop PhD Thesis



From: I. Varzielas / F. Joaquim slides

Flavour

$$U_{\text{PMNS}} \sim \begin{bmatrix} \nu_e & \left[\begin{array}{ccc} \text{blue} & \text{red} & \text{red} \\ \text{red} & \text{red} & \text{purple} \\ \text{red} & \text{red} & \text{purple} \end{array} \right] \\ \nu_\mu & \left[\begin{array}{ccc} \text{red} & \text{red} & \text{purple} \\ \text{red} & \text{red} & \text{purple} \\ \text{red} & \text{red} & \text{purple} \end{array} \right] \\ \nu_\tau & \left[\begin{array}{ccc} \text{red} & \text{red} & \text{purple} \\ \text{red} & \text{red} & \text{purple} \\ \text{red} & \text{red} & \text{purple} \end{array} \right] \end{bmatrix}$$


$\nu_1 \quad \nu_2 \quad \nu_3$




$$V_{\text{CKM}} \sim \begin{bmatrix} u & \left[\begin{array}{ccc} \text{blue} & \text{red} & \text{red} \\ \text{red} & \text{blue} & \text{red} \\ \text{red} & \text{red} & \text{blue} \end{array} \right] \\ c & \left[\begin{array}{ccc} \text{red} & \text{blue} & \text{red} \\ \text{blue} & \text{blue} & \text{red} \\ \text{red} & \text{red} & \text{blue} \end{array} \right] \\ t & \left[\begin{array}{ccc} \text{red} & \text{red} & \text{red} \\ \text{red} & \text{blue} & \text{blue} \\ \text{red} & \text{red} & \text{blue} \end{array} \right] \end{bmatrix}$$

$d \quad s \quad b$

From: P.Novichkov Discrete 2018 slides



From: A.Toorop PhD Thesis



From: I.Varzielas / F.Joaquim slides


Flavour

$$U_{\text{PMNS}} \sim \begin{bmatrix} \nu_e & \begin{matrix} \text{blue} \\ \text{red} \\ \text{red} \end{matrix} & \begin{matrix} \text{red} \\ \text{red} \\ \text{red} \end{matrix} & \text{red} \\ \nu_\mu & \begin{matrix} \text{red} \\ \text{blue} \\ \text{red} \end{matrix} & \begin{matrix} \text{red} \\ \text{red} \\ \text{blue} \end{matrix} & \begin{matrix} \text{red} \\ \text{blue} \\ \text{blue} \end{matrix} \\ \nu_\tau & \begin{matrix} \text{red} \\ \text{red} \\ \text{red} \end{matrix} & \begin{matrix} \text{red} \\ \text{red} \\ \text{blue} \end{matrix} & \begin{matrix} \text{red} \\ \text{blue} \\ \text{blue} \end{matrix} \end{bmatrix}$$

$\nu_1 \quad \nu_2 \quad \nu_3$

$V_{\text{CKM}} \sim \begin{bmatrix} u & \begin{matrix} \text{blue} \\ \text{red} \\ \text{red} \end{matrix} & \begin{matrix} \text{red} \\ \text{blue} \\ \text{red} \end{matrix} & \begin{matrix} \text{red} \\ \text{red} \\ \text{red} \end{matrix} \\ c & \begin{matrix} \text{red} \\ \text{blue} \\ \text{blue} \end{matrix} & \begin{matrix} \text{blue} \\ \text{blue} \\ \text{blue} \end{matrix} & \begin{matrix} \text{red} \\ \text{red} \\ \text{red} \end{matrix} \\ t & \begin{matrix} \text{red} \\ \text{red} \\ \text{red} \end{matrix} & \begin{matrix} \text{red} \\ \text{red} \\ \text{blue} \end{matrix} & \begin{matrix} \text{red} \\ \text{red} \\ \text{blue} \end{matrix} \end{bmatrix}$

$d \quad s \quad b$



From: P.Novichkov Discrete 2018 slides

Neutrinos, Higgs & Flavour

Neutrinos, Higgs & Flavour


Motivated by a common question:

Why are we here?

$$n_B \equiv n_b - n_{\bar{b}}$$


$$\eta \equiv \frac{n_B}{n_\gamma} = \frac{n_b - n_{\bar{b}}}{n_\gamma} \approx \frac{n_b}{n_\gamma}$$

$$\eta = (6.21 \pm 0.16) \times 10^{-10}$$



From: A.Toorop PhD Thesis

30 000 000 vs. 30 000 001 (at $t = 1$ s)



B Violation
C and CP violation
Departure from thermal equilibrium

Neutrinos, Higgs & Flavour


Motivated by a common question:

Why are we here?

$$n_B \equiv n_b - n_{\bar{b}}$$


$$\eta \equiv \frac{n_B}{n_\gamma} = \frac{n_b - n_{\bar{b}}}{n_\gamma} \approx \frac{n_b}{n_\gamma}$$

$$\eta = (6.21 \pm 0.16) \times 10^{-10}$$



From: A.Toorop PhD Thesis


30 000 000 vs. 30 000 001 (at $t = 1$ s)



- B Violation ✓
- C and CP violation ✗
- Departure from thermal equilibrium ✗

Neutrinos, Higgs & Flavour

*Problem in
the Standard Model*






- B Violation ✓
- C and CP violation ✓
- Departure from thermal equilibrium ✓

Neutrinos, Higgs & Flavour

Solution using Higgses:

Electroweak
baryogenesis

(see e.g. 1704.08911)



LIGHT UNFLAVORED MESONS ($S = C = B = 0$)

For $I = 1$ (π, b, ρ, a): $u\bar{d}, (u\bar{u} - d\bar{d})/\sqrt{2}, d\bar{u}$;
for $I = 0$ ($\eta, \eta', h, h', \omega, \phi, f, f'$): $c_1(u\bar{u} + d\bar{d}) + c_2(s\bar{s})$

π^\pm

$$I^G(J^P) = 1^-(0^-)$$

Mass $m = 139.57018 \pm 0.00035$ MeV ($S = 1.2$)

Mean life $\tau = (2.6033 \pm 0.0005) \times 10^{-8}$ s ($S = 1.2$)
 $c\tau = 7.8045$ m

$\pi^\pm \rightarrow \ell^\pm \nu \gamma$ form factors ^[a]

$$F_V = 0.0254 \pm 0.0017$$

$$F_A = 0.0119 \pm 0.0001$$

$$F_V$$
 slope parameter $a = 0.10 \pm 0.06$

$$R = 0.059^{+0.009}_{-0.008}$$

π^- modes are charge conjugates of the modes below.

For decay limits to particles which are not established, see the section on Searches for Axions and Other Very Light Bosons.

π^+ DECAY MODES

	Fraction (Γ_i/Γ)	Confidence level (MeV/c)	p
$\mu^+ \nu_\mu$	[b] $(99.98770 \pm 0.00004) \%$	30	
$\mu^+ \nu_\mu \gamma$	[c] $(2.00 \pm 0.25) \times 10^{-4}$	30	
$e^+ \nu_e$	[b] $(1.230 \pm 0.004) \times 10^{-4}$	70	
$e^+ \nu_e \gamma$	[c] $(7.39 \pm 0.05) \times 10^{-7}$	70	
$e^+ \nu_e \pi^0$	$(1.036 \pm 0.006) \times 10^{-8}$	4	
$e^+ \nu_e e^+ e^-$	$(3.2 \pm 0.5) \times 10^{-9}$	70	
$e^+ \nu_e \nu \bar{\nu}$	$< 5 \times 10^{-6}$ 90%	70	

DARK MATTER

$J = ?$

Mass $m = ?$

Mean life $\tau = ?$

DECAY MODES	Fraction (Γ_i/Γ)	Confidence level (MeV/c)	p
?	?	?	?




- B Violation ✓
- C and CP violation ✓
- Departure from thermal equilibrium ✓

Neutrinos, Higgs & Flavour

Solution using Higgses:

Electroweak
baryogenesis

(see e.g. 1704.08911)





B Violation ✓


C and CP violation ✓

Departure from thermal equilibrium ✓

Neutrinos, Higgs & Flavour

Solution using neutrinos:

Leptogenesis






- B Violation ✓
- C and CP violation ✓
- Departure from thermal equilibrium ✓

Neutrinos, Higgs & Flavour

Solution using neutrinos:

Leptogenesis
& type I seesaw



$$\mathbf{M}_\nu = -(\mathbf{Y}_N)^T \frac{v^2}{\mathbf{M}_N} \mathbf{Y}_N$$



B Violation

C and CP violation

Departure from thermal equilibrium

Neutrinos, Higgs & Flavour

$$\frac{1}{\Gamma_{\Delta_i}} \left(\Gamma(\Delta_i^* \rightarrow \ell_\alpha \ell_\beta) - \Gamma(\Delta_i \rightarrow \overline{\ell}_\alpha \overline{\ell}_\beta) \right)$$

Solution using all 3:

Flavoured
Leptogenesis
w/ type II seesaw



Neutrinos, Symmetries and the Origin of Matter

João Tiago Neves Penedo

Thesis to obtain the Master of Science Degree in
Engineering Physics

We've touched some exciting open questions...

Research opportunities @ CFTP

*CP violation. What are the new **sources**?*

*How do fermions get **mass**?*

*How to explain the **baryon asymmetry** of the Universe?*

*What is the nature of **Dark Matter**?*

*How do **neutrinos** get mass?*

*Is there an extended **Higgs sector**?*

*What is the role of **flavour symmetries**?*

and many more...

Inspire HEP



<http://inspirehep.net>

HEP Search

High-Energy Physics Literature Database

Use "find " for SPIRES-style search ([other tips](#))

a pontecorvo, b

Brief format

[Easy Search](#)
[Advanced Search](#)

[find j "Phys.Rev.Lett.,105"](#) :: [more](#)

How to Search

SPIRES syntax is (mostly) supported (requires "find")

[find a richter, b and t quark and date > 1984](#)

[find j phys.rev.,D50,1140 or j hep,0903,112](#)

[find eprint arxiv:1007.5048](#) (Note the plots available on the detailed record)

[find fulltext "quark-gluon plasma"](#) (Note new "fulltext" operator)

[find a ellis and refersto a witten](#) (Note "refersto")

[find a kane and citedby title SUSY and topcite 200+](#) (Note "citedby")

[View Profile](#)[Manage Profile](#)[Manage Publications](#)[Help](#)

PERSONAL INFORMATION

PUBLICATIONS AND OUTPUT

Personal Details (HepNames)

Name Bruno Pontecorvo

Links <http://pontecorvo.jinr.ru/>

Fields HEP-PH

Identifiers BAI: [B.Pontecorvo.1](#)
INSPIRE: [INSPIRE-00158012](#)Period Rank Institution
Dubna, JINR[Update Details](#)

Name Variants

Pontecorvo, B.M. (17)

Pontecorvo, B. (72)

Co-Authors

S.M.Bilenky (28)
 A.Kulikov (5)
 A.V.Kuptsov (4)
 D.Khazins (4)
 E.P.Hincks (4)
 L.L.Nemenov (4)



<http://inspirehep.net>

Publications Datasets External

1. Neutrinos today in the universe and in
2. NEUTRINOS TODAY
3. DISCUSSION OF THE SOLAR NEUTRINO REACTOR NEUTRINO OSCILLATION
4. RECOLLECTIONS ON THE ESTABLISHED INTERACTION NOTION
5. Neutrinos from Decays of Intermediates
6. Neutrinos from Decays of Intermediates
7. REACTOR EXPERIMENTS AND SOLAR NEUTRINO PROBLEMS
8. SOME EARLY INVESTIGATIONS ON
9. Neutrino Oscillations With Large Oscillation Masses?
10. PAGES IN THE DEVELOPMENT OF

[Click here to see all](#)

STATS

Citations Summary

89 papers found, 69 of them citeable (published or arXiv)

	Citeable papers	Published only
Number of papers analyzed:	69	68
Number of citations:	9250	9250
Citations per paper (average):	134.1	136.0
h_{HEP} index [?]	24	24

Breakdown of papers by citations:

	Citeable papers	Published only
Renowned papers (500+)	5	5
Famous papers (250-499)	0	0
Very well-known papers (100-249)	7	7

354 results | 

Most Recent

Unitarity bounds for all symmetry-constrained 3HDMs

#NaN

Miguel P. Bento (Lisbon U. and Lisbon, CFTP and Lisbon, IST), Jorge C. Romão (Lisbon U. and Lisbon, CFTP and Lisbon, IST), João P. Silva (Lisbon U. and Lisbon, CFTP and Lisbon, IST) (Apr 27, 2022)

e-Print: [2204.13130](#) [hep-ph]

0 citations

Dark matter in a CP-violating three-Higgs-doublet model with S_3 symmetry

#NaN

A. Kunčinas (Lisbon, CFTP and Lisbon, IST), O.M. Ogreid (Bergen U.), P. Osland (Bergen U.), M.N. Rebelo (Lisbon, CFTP and Lisbon, IST) (Apr 12, 2022)

e-Print: [2204.05684](#) [hep-ph]

1 citation

Softly-broken A_4 or S_4 3HDMs with stable states

#NaN

Ivo Varzielas de Medeiros (Lisbon, CFTP), Diogo Ivo (Lisbon, CFTP) (Feb 1, 2022)

Published in: *Eur.Phys.J.C* 82 (2022) 5, 415 • e-Print: [2202.00681](#) [hep-ph]

2 citations

The one-loop impact of a dependent mass: the role of m_3 in the C2HDM

#NaN

Duarte Fontes (Brookhaven and Lisbon, IST), Jorge C. Romão (Lisbon, IST and Lisbon, CFTP) (Jan 7, 2022)

Published in: *JHEP* 03 (2022) 144 • e-Print: [2201.02479](#) [hep-ph]

0 citations

Modular flavour symmetries and modulus stabilisation

#NaN

P.P. Novichkov (IPhT, Saclay), J.T. Penedo (Lisbon, CFTP), S.T. Petcov (INFN, Trieste and Tokyo U., IPMU) (Jan 6, 2022)

Published in: *JHEP* 03 (2022) 149, *JHEP* 03 (2022) 149 • e-Print: [2201.02020](#) [hep-ph]

6 citations


3HDM with $\Delta(27)$ symmetry and its phenomenological consequences

#NaN

J. Kalinowski (Warsaw U. and CERN), W. Kotlarski (Dresden, Tech. U. and NCBJ, Warsaw), M.N. Rebelo (Lisbon, CFTP), I. de Medeiros

MSc Theses in:

Theoretical Physics from Accelerators to the Cosmos



Filipe R. Joaquim

Permanent member of CFTP

Professor @ the IST Physics Department



MSc Topics of Physics beyond the Standard Model:

Flavour and neutrino Physics, Dark Matter, collider physics, Baryogenesis,...

"Bolsas de Investigação" may be available

Contacts:

filipe.joaquim@tecnico.ulisboa.pt , Office 4-8.3 (4th floor @ IST Physics Dep)

You are always welcome to my office!

The background of the slide is a blurred aerial photograph of a coastal landscape. It shows a winding road along the water's edge, lined with trees and some buildings. In the water, several small boats are scattered across the surface.

Obrigado!

joao.t.n.penedo@tecnico.ulisboa.pt

21 841 9680 (ext. 3680)
Office 5 - 1.13 (5th floor DF)
CFTP, IST