

The CMS group












LIP Advisory meeting
Lisbon, April 2025

M.Araújo, P.Batista, A.Boletti, R.Bugalho, T.Camporesi, D.Cardoso,
C.DaCruz e Silva, G.DaMolin, P.Faccioli, M.Ferreira, L.Ferramacho,
M.Gallinaro, R.Guitton, J.Hollar, H.Legoinha, N.Leonardo, G.B.Marozzo,
N.Oliveira, M.Pisano, J.Seixas, P.Silva, R.Silva, M.Silveira, L.Valla, J.Varela,
J.Wulff

Physics, Operations, Upgrades

- **Physics analyses**
 - pp ($\gamma\gamma$) & heavy ion collisions
 - precision measurements & searches (rare processes, BSM)
 - Top, Higgs, B, EWK, Dark matter, Heavy Ions, Quarkonia
- **Detector maintenance & operations**
 - Precision Proton Spect. (PPS), EPRs, detector/on-call shifts, computing
- **Upgrades**
 - PPS, Timing Detector (MTD), ECAL, HGCal
- **DRD1 (gas) and DRD3 (silicon)**
- **Training & Outreach**
 - CERN, LIP, IST, Masterclasses, summer stage, etc.



Other activities


- Organization of 14th course on “Physics at the LHC”
- Organization of workshop on “Machine Learning for Physics”
- Organization of “Flavour Physics at LHC” school



Top quarks and tau leptons

JHEP 02 (2020) 191, PRD105(2022)072008


- **Lepton flavor universality:** check consistency with SM expectations



	CMS	LEP	ATLAS
$R_{\mu/e}$	1.009 ± 0.009	0.993 ± 0.019	1.003 ± 0.010
$R_{\tau/e}$	0.994 ± 0.021	1.063 ± 0.027	...
$R_{\tau/\mu}$	0.985 ± 0.020	1.070 ± 0.026	0.992 ± 0.013
$R_{\tau/\ell}$	1.002 ± 0.019	1.066 ± 0.025	...

- Study LFU in top quark decays
- $t \rightarrow (\tau \nu) b$ decay exclusively involves 3rd gen. leptons/quarks


With full Run2 dataset, ongoing
(PhD student: G. Da Molin)




Double Higgs production

arXiv:1902.00134, Mach.Learn.Sci.Tech. 1(2020)045006, Rev. Phys. 5 (2020) 100045, arXiv:2105.07530, arXiv:2206.09401


non-resonant production



resonant production



HH production search ongoing
(PhD students: J. Wulff, R. Guitton)



- Destructive interference in SM
- In SM, only $\sigma=33\text{fb}$ at 13 TeV
- Not yet at the SM sensitivity

Vector Boson Scattering

arXiv:2005.09889, arXiv:2106.01393, arXiv:2410.04210

- VV production via VBS ($V=W,Z,\gamma$)
 - Purely EW process (QCD treated as bkg)
 - V self-interactions precisely predicted
- Small cross section: similar for EWK and QCD processes
- Study same-sign WW production
- Include tau leptons in final state
 - could enhance sensitivity to BSM wrt light leptons

VBS (full Run2)





PhD student G.B.Marozzo and U.Perugia

WW incl. taus (Run3)

PhD student G.B.Marozzo


ssWW EW signal: $\sigma=27$ fb

QCD bkg: $\sigma=26$ fb



Physics w/ forward protons

JHEP 07(2018)153, arXiv:2210.05854, arXiv:2211.16320, arXiv:2310.11231




Exclusive tau pairs and charged Higgs
MSc students M.Ferreira and P.Batista

Proton reconstruction

[arXiv:2210.05854](https://arxiv.org/abs/2210.05854)


PPS collected more than
100/fb of data in Run2



Exclusive top quark pairs

[arXiv:2310.11231](https://arxiv.org/abs/2310.11231)


Search for central
exclusive production of
 $t\bar{t}$ pairs in pp
interactions with tagged
protons



$Z\gamma + X$ production

[arXiv:2303.04596](https://arxiv.org/abs/2303.04596)


Search for anomalous Z/γ^*
central production with
2017 data



Exclusive WW/ZZ

[arXiv:2211.16320](https://arxiv.org/abs/2211.16320)

Search for $\gamma\gamma \rightarrow WW/ZZ$
with forward protons





B-physics

arXiv:2007.02434, arXiv:2411.11820

- Indirect search for NP
 - May provide sensitivity beyond collision energy
- Precise measurements and rare decays
 - NP through virtual contributions
- Explore $b \rightarrow s \mu \mu$ transitions
 - $B \rightarrow \mu \mu$, $B \rightarrow K^* \mu \mu$
- Study decay rates and angular variables
 - Measure BRs and lifetime
 - $B^0 \rightarrow K^*(K^+ \pi^-) \mu \mu$ (FCNC)
 - $B_s \rightarrow J/\psi(\mu \mu) \phi(KK)$ (CPV)
- Goldmine in “parked” dataset

A. Boletti





Heavy Ions

PLB 829(2022)137062, arXiv:2409.07258

PhD student H. Legoinha (ongoing)

- Explore heavy ion collisions at highest energies
- CMS has excellent capability to study low p_T probes in HI
- Detected B mesons in ion collisions
- Explore heavy flavour as novel probe of QGP
 - Ratio of B_s/B^+ production yields
 - Nuclear modification factor R_{AA}
- Probe mass and energy dependence



Detector Upgrades

The HL-LHC will provide an integrated luminosity of 3000 fb^{-1} over 10 years of operation. It will present many technological challenges. We are preparing by developing new detectors and by upgrading the current ones.

LIP Contributes to

Calorimeter Endcap

- 3D showers and precise timing
- Si, Scint+SiPM in Pb/W-SS


Muon systems

- DT & CSC new FE/BE readout
- RPC back-end electronics
- New GEM/RPC $1.6 < \eta < 2.4$
- Extended coverage to $\eta = 3$

LIP Contributes to

Barrel Calorimeters

- ECAL crystal granularity readout at 40 MHz with precise timing for e/γ at 30 GeV
- ECAL and HCAL new Back-End boards



Tracker Si-Strip and Pixels increased granularity

- Design for tracking in L1-Trigger
- Extended coverage to $\eta \approx 3.8$


LIP Contributes to

MIP Timing Detector - MTD

- Barrel layer: Crystals + SiPMs
- Endcap layer: Low Gain Avalanche Diodes

L1-Trigger/HLT/DAQ

- Tracks in L1-Trigger at 40 MHz
- PFlow-like selection 750 kHz output
- HLT output 7.5 kHz



LIP contributes to




Precision Proton Spectrometer
Detector design and physics prospects

MIP Timing Detector

JINST 19 (2024) 12, P12020, JINST 19 (2024) 05, P05048, arXiv:2504.11209

Electronics for the Barrel Timing Layer

- TOFHiR2 read-out ASIC and BTL front-end boards fully produced and validated (330k readout ch.)
- Expected timing resolution performance confirmed via tests with laser and test beam
- Assembly and validation of sections (“trays”) of the detector ongoing
 - Integration and commissioning planned between 2025 and 2026
 - LIP group members responsible for BTL commissioning




CERN North Area
H8 beam lines



Precision Proton Spectrometer

arXiv:2412.13780

- PPS2 approved for HL-LHC
- Timing detectors
 - Exploring LGAD sensors and associated electronics for the HL-LHC upgrade
 - challenging near beam non-uniform irradiation
- Irradiation studies at CERN
- Sensor characterization (Lisbon, CERN)
- Studies with Fermilab team on electronics and sensor performance
- Test beam activities
- New sensor design and simulation studies
- New sensor production at FBK



Recent MSc and PhD theses

ALMA MATER STUDIORUM · UNIVERSITÀ DI BOLOGNA
UNIVERSITÉ CLERMONT AUVERGNE
TECHNISCHE UNIVERSITÄT DORTMUND

International Master in Advanced Methods in Particle Physics

[CERN-THESIS-2024-184](#), Sept. 2024

Higgs boson properties and tau lepton
identification at the $\sqrt{s} = 3$ TeV
Muon Collider




Lorenzo Valla

Optimisation of the local reconstruction in a high
granular calorimeter using a heterogenous
computing model

Author:
Daniela CARDOSO

Supervisor:
Dr. Pedro FERREIRA DA SILVA
Dr. Michele GALLINARO

Finishing Master thesis soon



Daniela Cardoso




UNIVERSIDADE DE LISBOA
INSTITUTO SUPERIOR TÉCNICO

Search for top squarks in the four-body decay mode
with single lepton final states in proton-proton
collisions at the Large Hadron Collider

[CERN-THESIS-2023-133](#)

Diogo Carlos Chasqueira de Bastos



Diogo Bastos



Probing Quark Hadronization with B mesons at the LHC

Simão Moreira Costa

Thesis to obtain the Master of Science Degree in
Physics Engineering

[CERN-THESIS-2023-282](#), Dec. 2023



Simão Costa



Probing the Quark Gluon Plasma with B^0 and B^+ Mesons
Cross Sections in pp and Nuclear Modification Factors in PbPb Collisions

Henrique Miguel Marques Luís Legoinha

Thesis to obtain the Master of Science Degree in
Engineering Physics

[CERN-THESIS-2023-064](#), May 2023



Henrique
Legoinha

JHEP 2306(2023)060, July 2023
Now in private sector

Summary

- The LIP-CMS group is active in several physics topic/working groups
- Top, Higgs, Searches, Heavy Ions, B-physics, VBS and $\gamma\gamma$ physics
- Several papers/results from Run2 data, with more to come from Run2 data and now Run3 (ending Summer 2026)
- LIP members perform various service tasks in the collaboration, as well as outreach, teaching, and organizational activities
- Major contributions to the CMS upgrade for HL-LHC



SWOT

Strengths

- Group well integrated in the Collaboration. Several senior physicists with long experience in HEP and strong impact. Several coordination positions, including leadership of the PPS sub-detector, convenership in physics groups, and leading role in several physics analyses. **Leadership** in areas of the Phase-2 Upgrades

Weaknesses

- Difficulty in attracting researchers to Portugal
- **Funding** insufficient to support young researchers. Lack of stable National funding at regular intervals. Funding not matched to increasing prices. EU funds are explored but cannot guarantee long-term goals of experiments

Opportunities

- **Strong** participation of Portuguese industry, world leader in segments of microelectronics IP market, in the CMS Phase-2 Upgrades for HL-LHC

Threats

- **Unclear career prospects for senior physicists of the group** with key responsibilities in the group and in the Collaboration

backup

Challenging years: 2025-2030

CMS will be facing an unprecedented situation in the next 5 years:

- **2025-26:** Exploit the delivered luminosity for **physics** (Run 3)
- **2025-28:** Complete the **upgrade** program construction, including detectors, software, all infrastructure and services needed
- **2026-27: Decommission** the legacy systems that will not be part of the CMS upgrade detectors (services, infrastructure), ensure legacy systems are maintained and/or consolidated to guarantee full HL-LHC exploitation
- **2027-30: Install and commission** the CMS Upgrade (infrastructure, services, detectors and software)


WW (e/ μ , τ_h)

- WW production at 13.6 TeV
- Include tau leptons
- Define CRs and SR
- Combine and fit
- Study WW production, where one W decays to a light **lepton** (e, μ) and other to hadronic **tau** (τ_h).
- **First measurement** at LHC

Current status:

- Analysis workflow for Run3 (**2022+2023**) dataset
- Refined background estimation for **tau Fake Rates**
- Finalized **systematics** estimation
- Ongoing approval process

Ongoing with Run3 dataset
(PhD student: G.B.Marozzo)




Quarkonia


arXiv:2406.14409

- Measure polarization of prompt and non-prompt J/Psi and Psi(2S) mesons at 13 TeV
- The heavy c and b masses allow to study the (long-distance) bound state formation without complications caused by the (short-distance) qq creation step
- Polarization is the best observable to understand how the bound states are formed
- CMS measurements (with LIP leadership) highlighted and solved long-term puzzles

PhD student M.Araujo,
P.Faccioli, C.Lourenço, J.Seixas




⇒ much improved S-wave polarization measurements using Run 2 data



Dark Sector searches

JHEP 03 (2020) 025, arXiv:2405.13778


- Review of recent searches for particles and interactions belonging to dark sector and dark mediators




HL-LHC: Higgs self-coupling

arXiv:1902.00134

Revised projections: Uncertainty for SM ($\kappa_\lambda=1$) of 30%



	Statistical-only		Statistical + Systematic	
	ATLAS	CMS	ATLAS	CMS
$HH \rightarrow b\bar{b}b\bar{b}$	1.4	1.2	0.61	0.95
$HH \rightarrow b\bar{b}\tau\tau$	2.5	1.6	2.1	1.4
$HH \rightarrow b\bar{b}\gamma\gamma$	2.1	1.8	2.0	1.8
$HH \rightarrow b\bar{b}VV(l\nu\nu)$	-	0.59	-	0.56
$HH \rightarrow b\bar{b}ZZ(4l)$	-	0.37	-	0.37
combined	3.5	2.8	3.0	2.6
	Combined		Combined	
	4.5		4.0	




Operations and Maintenance

CMS-DP-2024-008, CMS-DP-2024-118

J.Hollar (PPS system manager, L2)
PhD students G.B.Marozzo, G.Da Molin

- Precision Proton Spectrometer (PPS)
 - Detector operations
 - Performance in Run 3 and efficiency of the pixel detector
 - Performance: 2024 Efficiency and two-arm vertex resolution with timing detectors
- Tau identification: improvements with ParticleNet algorithm in Tau POG
- MC contact: sample production for SMP PAG
- Detector shifts (trigger, on-call, etc.)



Report 2024

The Compact Muon Solenoid (CMS) experiment at the LHC is a major scientific endeavor, and the research at the LHC is central to the quest for the fundamental physics laws of nature. LIP is a member of the CMS Collaboration at the LHC since its creation in 1992.

LIP had a leading role in the design and construction of important components of the CMS detector, namely the Data Acquisition System of the ECAL sub-detector used for the measurement of electrons and photons and the Trigger System that performs the online selection of the interesting collisions. Since the LHC start-up in 2010, LIP made major contributions to the CMS physics program, in particular: the discovery and characterization of a Higgs boson; measurements of the top quark properties; the first observation of the rare B_s to dimuon decay; studies of B and Y mesons in pp and heavy ion collisions; measurements of the J/Psi, Upsilon and χ_c polarizations; searches for a charged Higgs, a top squark, and for Dark Matter; search for exclusive processes. A group member served as Deputy Spokesperson of the Collaboration in 2012-13.

The group contributed to the Phase-1 Upgrade of the experiment by building and installing new High-Speed Optical Links (oSLB-oRM) that interface the ECAL electronics to the trigger system. The CMS experiment took data in Run2 (2015-2018) at an energy of 13TeV and, it started taking data again in Run3 (since 2022) after a period of maintenance and upgrades. During the long-shutdown (LS2) the group has been involved in the preparation of the PPS and the ECAL detectors.

The LIP group is leading the development of the new forward Precision Proton Spectrometer (PPS). PPS demonstrated -for the first time- the feasibility of operating a near-beam proton spectrometer at high luminosity on a regular basis. A member of the group is serving as PPS Project Coordinator.

Report 2024 - II

In the High-Luminosity phase of the LHC (HL-LHC) physics program starting in 2030, the accelerator will provide an additional integrated luminosity of 3000 fb^{-1} over 10 years of operation. The group participates in the construction of a new Timing Detector and in the upgrade of the Barrel and Endcap calorimeters. The group is also involved in the upgrade of the PPS detector for HL-LHC, specifically in the area of precision timing detectors. The group is responsible for the design and construction of the readout system of the Barrel Timing Layer (BTL), including a high-performance TOF ASIC for time measurement. In collaboration with the Portuguese industry, LIP provided a high-performance ADC ASIC for the ECAL front-end electronics resistant to radiation. The CMS upgrade also includes the complete replacement of the Endcap calorimeters with a new high-granularity sampling calorimeter. LIP collaborated with Portuguese industry by supplying a high-current low-voltage regulator (LVR) resistant to radiation for the High-Granularity Calorimeter (HGCal) front-end system.

The group is actively involved and contributing to the physics analyses in the areas of Standard Model, Top quark, Higgs boson, Exotica, B mesons, SUSY, quarkonia, heavy ions, and PPS physics. Members of the LIP group coordinated the CMS Forward FSQ (2013-2014) and the B (2014-2016) Physics groups. Two former members of the group, now with CERN, coordinated in 2015-16 the CMS Higgs and Top physics groups.

In the recent institutional Evaluation Report performed by an international review panel under the initiative of FCT, LIP received the highest quality grade (EXCELLENT). The contribution of the CMS group to this evaluation was explicitly recognized. Quoting the report "The CMS group, while small in size, is really outstanding and world-class".

Report 2024 - III

8 Articles in international journals (with direct contribution from team)

Matteo Pisano (for the CMS Collaboration): "Study of central exclusive production processes by proton-proton collisions at 13 TeV with the CMS experiment", *Nuovo Cim. C* 47 (2024) 81

CMS Collaboration (2535 authors): "Development of the CMS detector for the CERN LHC Run 3", *JINST* 19 (2024) 05, P05064

CMS and TOTEM collaborations: "Search for central exclusive production of top quark pairs in proton-proton collisions at 13 TeV with tagged protons", *JHEP* 06 (2024) 187

X.Wang, M.Gallinaro et al.: "A Novel Diamond-like Carbon based photocathode for PICOSEC Micromegas detectors", *J. Instrum.* 19 (2024) P08010

CMS collaboration: "Measurement of the polarizations of prompt and non-prompt J/ψ and $\psi(2S)$ mesons produced in pp collisions at 13 TeV", *Phys. Lett. B* 858 (2024) 139044

A.Boletti, M.Gallinaro, J.Varela et al.: "Optimization of LYSO crystals and SiPM parameters for the CMS MIP timing detector", *JINST* 19 (2024) 12, P12020

A. Kallitsopoulou, M.Gallinaro et al.: "PICOSEC-Micromegas Detector, an innovative solution for Lepton Time Tagging", *Nucl.Instrum.Meth.A* 1069 (2024) 169920

E. Albuquerque et al.: "TOFHIR2: the readout ASIC of the CMS barrel MIP Timing Detector", *JINST* 19 (2024) 05, P05048

9 Preprints

CMS collaboration: "Dark sector searches with the CMS experiment", *arXiv:2405.13778* - Submitted to *Physics Reports*

A.Utrobicic, M.Gallinaro et al.: "Single channel PICOSEC Micromegas detector with improved time resolution", *arXiv:2406.05657* - submitted to *NIM A*

M.Lisowska, M.Gallinaro et al.: "Photocathode characterisation for robust PICOSEC Micromegas precise-timing detectors", *arXiv:2407.09953* - submitted to *NIM A*

CMS collaboration: "Bottom quark energy loss and hadronization with B^+ and B^0_s nuclear modification factors using PbPb collisions at 5.02 TeV", *arXiv:2409.07258* - Submitted to the *Journal of High Energy Physics*

CMS collaboration: "Study of same-sign W boson scattering and anomalous couplings in events with one tau lepton from collisions at 13 TeV", *arXiv:2410.04210* - Submitted to the *Journal of High Energy Physics*

L.Valla: "Higgs boson properties and tau lepton identification at the 3 TeV Muon Collider", *CERN-THESIS-2024-184*

C.Accettura et al. (IMCC collaboration): "Interim report for the International Muon Collider Collaboration (IMCC)", *CERN Yellow Reports: Monographs*, 2/2024

CMS collaboration: "Angular analysis of the $B^0 \rightarrow K^*(892)0 \mu^+\mu^-$ decay in proton-proton collisions at 13 TeV", *arXiv:2411.11820* - Submitted to *Physics Letters B*

C. da Cruz e Silva, J. Hollar, M.Gallinaro, G. da Molin, G. Marozzo, et al.: "Properties of carbon-infused silicon LGAD devices after non-uniform irradiation with 24 GeV/c protons", *arXiv:2412.13780* - submitted to *NIM A*

Report 2024 - IV

7 PhD Theses

Mariana Araújo: "Quarkonium production studies at LHC energies: towards the understanding of bound-state formation by the strong force" (*ongoing*)

IST - Supervisor: Pietro Faccioli and Carlos Lourenço

Matteo Pisano: "Search for new physics in exclusive processes at the Large Hadron Collider" (*ongoing*)

IST - Supervisor: Michele Gallinaro and Jonathan Hollar

Johan Wulff: "Timing Detectors and Measurements of Higgs Boson Properties" (*ongoing*)

IST - Supervisor: Michele Gallinaro and Jonathan Hollar

Giacomo Da Molin: "Study of lepton universality in top quarks pairs events" (*ongoing*)

IST - Supervisor: Michele Gallinaro

Giovanni Marozzo: "Search for New Physics in gauge boson scattering with the CMS experiment at the Large Hadron Collider" (*ongoing*)

IST - Supervisor: Jonathan Hollar and Michele Gallinaro

Henrique Legoinha: "Probing the primordial quark gluon plasma with heavy flavour" (*ongoing*)

IST - Supervisor: Nuno Leonardo

Raphaël Guitton: "Measurements of Higgs boson properties and search for BSM physics" (*ongoing*)

IST - Supervisor: Michele Gallinaro

4 Master Theses

Lorenzo Valla: "Higgs boson properties and tau lepton identification at the 3 TeV Muon Collider" (*finished on 2024-09-30*)

LIP - Supervisor: Michele Gallinaro and Giacomo Da Molin and Giovanni Marozzo

Pedro Batista: "Search for new physics with forward protons at the LHC" (*ongoing*)

FCUL - Supervisor: Jonathan Hollar and João Pedro Pires

Madalena Ferreira: "Search for central exclusive production of $\tau^+ \tau^-$ pairs in proton-proton collisions at the LHC" (*ongoing*)

UA - Supervisor: Jonathan Hollar and Carlos Azevedo and Michele Gallinaro

Daniela Cardoso: "Optimization of the local reconstruction in a high granular calorimeter using a heterogenous computing model" (*ongoing*)

IST - Supervisor: Pedro Ferreira da Silva and Michele Gallinaro

Report 2024 - V

3) Experiment operation and maintenance

a) Physics objects development:

LIP members pursued participation in the activities of POGs (Physics Object Groups) for Tau identification (G.B.Marozzo) and in the validation of forward proton alignment and reconstruction efficiency (G.DaMolin, G.B.Marozzo, M.Pisano, J.Hollar), and PPS high-level trigger (MSc student P.Batista, PhD student M.Araujo). A member of the LIP/CMS group (J.Hollar) led the preparation of the reference paper describing key features of the proton reconstruction procedure, efficiency and reconstruction that was published ([JINST 18 \(2023\) 09, P09009](#)). Results of single time-of-flight and tracking sensor efficiencies, and vertex position reconstruction with PPS timing detectors using Run3 data were published. A group member (G.B.Marozzo) is the SMP MC contact for the production of MC samples.

b) PPS commissioning and operation:

Under the leadership of a LIP member serving as PPS Project Manager (J.Varela), PPS collected over 100fb^{-1} of data in Run2. The group had leading roles in the PPS DAQ system (J.Hollar) and the Timing detectors (M.Gallinaro). LIP made major contributions to the timing detector electronics, online software, and detector operations. Since 2021, a LIP member has served as Project Manager (J.Hollar). Members of the group are actively involved in physics analyses using PPS data (M.Pisano, M.Gallinaro, J.Hollar), and had leading roles in the first PPS physics publications. Group members served as experts-on-call (PPS-DOC).

c) Computing: A member of the group served as LIP/CMS interface with the LIP's Tier2 group.

d) General: The group provided central shifts and EPR work according to the rules of the CMS collaboration. A group member took part in the ion data operations at CERN-P5 (November 2024); group members took part in test beam activities at CERN-Preveessin (May and September).

4) Phase 2 Upgrades (HL-LHC)

The R&D towards the Phase-2 upgrade carried by the group is organized in four areas:

a) R&D in the Barrel Timing Layer: Development of the frontend readout system of the timing detector (LYSO crystals and SiPMs) based on a fast-timing TOF ASIC provided by Portuguese industry (full LIP responsibility).

b) R&D for the PPS timing detectors: Develop LGAD sensors and associated electronics for use as timing detectors in the HL-LHC PPS upgrade, resistant to highly non-uniform radiation and with good ($\sim 40\text{-}50\text{ps}$ per plane) time resolution.

c) R&D in the ECAL frontend readout system: Development of the new ECAL readout system based on a new 160MS/s low power ADC ASIC provided by Portuguese industry (CEA Saclay, INFN-Torino and LIP responsibility).

d) R&D on the High Granularity Calorimeter: Support to the development of low voltage regulator (LVR) ASIC resistant to radiation provided by the Portuguese industry.

While a) and b) are the main focus of the current LIP/CMS group activities, c) and d) were developed in collaboration with the Portuguese industry and were successfully completed.

In the context of the detector R&D activities, group members joined the newly formed DRD1 (gas detectors) and DRD3 (solid state detectors) collaborations, continuing earlier involvement in RD51 (PICOSEC, Micromegas gas detector for precise time measurements) and RD50 (LGAD, silicon sensor for fast timing applications at the HL-LHC), respectively.


Report 2024 - VI

Group members have the following coordination positions in the CMS collaboration structure:

- PPS Coordinator (Level-1), since 2021 (J.Hollar)
- B-Physics Data Analysis Coordinator (Level-3), since 2023 (A.Boletti)
- Standard Model (SMP) PAG Monte-Carlo contact, since 2023 (G.B.Marozzo)
- MTD/BTL electronics systems coordinator, since 2018 (J.Varela)
- LHC HF WG co-Convener, since 2021 (N.Leonardo)
- CMS Young Scientist Committee Portugal regional representative, since 2024 (G. Da Molin)

LIP group members participate in the following CMS structures:

- CMS Collaboration Board (M.Gallinaro, J.Varela)
- CMS Finance Board (M.Gallinaro, J.Varela)
- CMS Management and Executive Boards (J.Hollar)
- CMS Publication Board (N.Leonardo)
- ECAL, MTD and HGCAL Institution Boards (J.Varela)
- PPS Institution Board (M.Gallinaro)
- MTD Steering Committee (J.Varela)



Organized Events

1 Advanced Training Event

13th Course on Physics at the LHC, LIP Lisbon, 2024-03-04 to 2024-07-09

2 Outreach seminars

Sebastian White: "Nikola Tesla and his place in the American Renaissance", 2024-09-12, LIP seminar, LIP Lisbon



Henrique Legoinha: "Heavy Ion Collisions as a QCD sandbox short talk", 2024-10-24




Higgs boson properties and tau lepton identification at the 3 TeV Muon Collider

- The Muon Collider: a Higgs Factory
 - It foresees two stages: 3 TeV and 10 TeV
- Algorithm for tau lepton reconstruction and identification (TauFinder)
 - Track/tau performance assessment and energy corrections
 - BIB not included in the study
- $H \rightarrow \tau\tau$ identification
- $H \rightarrow \tau\tau$ cross section measurement
 - Use BDT for S-B separation

Eur. Phys. J. C (2023) 83: 864





L.Valla Master thesis (CERN-THESIS-2024-184)



HGCAL


MSc student D.Cardoso, ongoing

- The High Granularity Calorimeter (HGCAL) is being prepared for Phase 2 of the LHC
- In July and September 2024, beam tests were carried out at CERN with module prototypes
- Perform channel intercalibration, measure MIP peak



CMS “Gold” Award

- **PETSys**: awarded the **CMS gold award** for *"the challenging development of the TOFHIR2 front-end ASIC of the barrel MTD detector. The circuit performs precise time measurement of ionizing particles detected by LYSO scintillating crystals associated with silicon photomultipliers (SiPM) at high rate and in the presence of an overwhelmingly large SiPM dark noise (DCR) due to radiation damage. TOFHIR2 implements an innovative DCR cancellation circuit which significantly improves the time resolution of the detector."*






MTD/BTL module characterization

arXiv:2504.11209


Extensive test beam campaign in 2024

- Full system tests
- Reach desired performance of detector modules (radiation tolerance, time resolution, uniformity)



ECAL


- Long term LIP responsibility for ECAL electronics/DAQ
- HL-LHC: full replacement of electronics to meet new trigger/pileup requirements
- Collaboration with Portuguese industry developing new low-power ADC IP block
- 12 bit resolution with sampling rate of 160MS/s
- First design provided and integrated in LITE-DTU chip for evaluation since 2020



HGCAL: new rad-hard ASIC

New rad-hard ASIC developed by Portuguese industry performs well

Slide from presentation at CMS week (April 2021)





CERN contract placed with SiGate in Portugal for the design and electrical characterization.

- TSMC 130nm, CRN01 LDO submission March 2020
- Electrical characterization done at SiGate
- Very detailed characterization report delivered.
- Excellent results shown by Sandro at TWEPP 2020
- Also presented to ESE
- Data Sheet available.


TID testing at CERN to 1.1Grad, all fine.
SEE tests planned in May 2021

- A 2nd (slightly modified) design ongoing
- CRN02 design review April 2021
- Prototyping on Omega's ALTIROC Eng Run (~1000 pieces)
- Full production later this year
- Could be of interest to other projects.



Summary Specifications

- Tech : 130nm CMOS
- I_{max} : 3A
- $V_{in_{max}}$: 2 V
- Adjustable V_{out} : 1.0 - 1.5 V
- $V_{out} - V_{in}$: 175 mV @ I_{max}
- OverTemp, overI protection
- Digital adjust : +/- 50 mV control
- Digital enable
- Max dissipation : 500 mW**
- Small form factor



Binning into 2 or 3 types for voltage adjustment using resistors mounted on the boards

DCDC Module Design

LD bPOL12 module