

# Light scalars in the triplet seesaw model

**Carlos Espadinha**

CFTP/IST, U. Lisbon



**Supervisors:** Prof. F. R. Joaquim and J. R. Rocha

**2nd Cycle Integrated Project in Engineering Physics**

Lisbon, Portugal, 29 January, 2026

# The two scalar triplet Model

The **SM does not explain** small neutrino masses



**2STM**

(Ferreira, et al., 2021)

$$\Delta_{1,2} = \begin{pmatrix} \delta_{1,2}^+/\sqrt{2} & \delta_{1,2}^{++} \\ \delta_{1,2}^0 & -\delta_{1,2}^+/\sqrt{2} \end{pmatrix}$$

**Scalar** sector:

$\theta_1 \neq \theta_2 \longrightarrow$  **Spontaneous CPV**  $\longrightarrow$



**Lepton** sector:

$$\mathbf{M}_\nu = \sqrt{2} \left( Y^{\Delta_1} u_1 e^{i\theta_1} + Y^{\Delta_2} u_2 e^{i\theta_2} \right)$$

**LEPTONIC CPV**

$h_1^0$	Goldstone
$h_2^0$	Light
$h_3^0$	Light
$h_4^0$	SM Higgs-like
$h_5^0$	Decoupled
$h_6^0$	Decoupled
$H_1^+$	Goldstone
$H_2^+$	Electroweak
$H_3^+$	Decoupled
$H_1^{++}$	Electroweak
$H_2^{++}$	Decoupled

# Compatibility with scalar searches



## Neutral scalars (light):

- ✓ Significant portion of the parameter space **below the LEP upper bound**

## Charged scalars (electroweak):

- ✓ **Not constrained** by B physics
- ✓ Significant portion of the parameter space **above the ATLAS lower bound**

# Texture zeros in the neutrino mass matrix

$\mathbb{Z}_3$  symmetry:

$$\omega = \exp(2i\pi/3)$$


$$\begin{pmatrix} \ell_L^1 \\ \ell_L^2 \\ \ell_L^3 \end{pmatrix} \rightarrow \begin{pmatrix} 1 & 0 & 0 \\ 0 & \omega & 0 \\ 0 & 0 & \omega^2 \end{pmatrix} \begin{pmatrix} \ell_L^1 \\ \ell_L^2 \\ \ell_L^3 \end{pmatrix}, \quad \begin{array}{l} \text{Case B}_1 : \Delta_1 \rightarrow \Delta_1, \quad \Delta_2 \rightarrow \omega^2 \Delta_2 \\ \text{Case B}_2 : \Delta_1 \rightarrow \Delta_1, \quad \Delta_2 \rightarrow \omega \Delta_2 \end{array}$$

Neutrino mass matrix patterns with **two 'texture' zeros**:


$$\text{Case B}_1 : \mathbf{M}_\nu \sim \begin{pmatrix} \times & \times & 0 \\ \cdot & 0 & \times \\ 0 & \cdot & \times \end{pmatrix}$$

$$\text{Case B}_2 : \mathbf{M}_\nu \sim \begin{pmatrix} \times & 0 & \times \\ 0 & \times & \times \\ \cdot & \cdot & 0 \end{pmatrix}$$

# Compatibility with experimental data (B<sub>1</sub>)



# Compatibility with experimental data (B<sub>2</sub>)



# Summary and outlook

## Work done:

- ✓ Study of the **2STM** theoretical framework;
- ✓ Study of the **neutrino mass matrix patterns** compatible with current experimental data;
- ✓ Preliminary **light scalar - fermion coupling study** (analytical and numerical).

## Future work:

- ✓ 1-loop analysis and Astro / LFV constraints
- ✓ Update analysis with new experimental data including JUNO

} Paper writing and publication

} Thesis writing

} Thesis presentation

# Thank you !