






Detectors in Particle Physics (focus in ATLAS and CMS detectors)



Agostinho Gomes
LIP and FCUL

Detectors

Particle detectors are devices where the particles interact allowing us to measure some quantities - position, time, momentum, electric charge, energy, etc




Tracks of alpha particles seen in a cloud chamber at LIP



Track of a cosmic ray seen in a spark chamber at LIP


A detector in action



Cloud chamber at LIP


Detectors - large and deep neutrino detectors

Examples of Ice Cube in Antarctica using the ice as detector and Antares in the Mediterranean using the sea water as detector



Ice Cube


Both detectors use photomultiplier tubes as photosensors



Detectors for cosmic rays - the atmosphere and above




Can send detectors in balloons, put them in orbit (example AMS at the ISS) or lay them in the ground or underground in deep mines (neutrinos again)




Detectors - a large detector atmosphere based

Auger detector in Argentina uses the atmosphere as a component to study extreme energy cosmic rays





Collider or no collider?




ATLAS@LHC **collider** – full control of the events

No collider - no control of the events



Timing, **position** and detector **size** and **granularity** need to be adequate for the subject

Focus on LHC and its general purpose detectors ATLAS and CMS



CMS detector open for maintenance

Large Hadron Collider (LHC)

It is a discovery machine, projected to search for:

Higgs (found)

SUSY

Dark matter

Black holes

Particles of many other models

New unexpected particles

Mont Blanc

lake

airport

ATLAS

CMS




p-p collider
27 km perimeter
Designed for:
7 TeV/beam
Luminosity $10^{34} \text{cm}^{-2}\text{s}^{-1}$

These parameters set
the working
environment for these
HEP detectors

Signal and background in the LHC package

LHC generates trash at huge rates



High- p_T QCD jets

W, Z

Top-Top

Higgs

And the interesting particles we are looking for are rare

Protons/bunch

Luminosity

 10^{11} $10^{34} \text{ cm}^{-2} \text{ s}^{-1}$

40 MHz

Collisions \approx


$10^7 - 10^9$ Hz

**Selection of 1 in
10,000,000,000,000**

Collisions at the LHC: the detectors

Want to see what happens (result) in the collision


Detector built around the collision point, covering as much as possible (depending on the center of mass energy)



Collisions at the LHC: the detectors


At the LHC center of mass energy the detectors to contain most of the particles produced in the collisions need to be huge.

Even the "compact" CMS is quite big.





ATLAS detector

Detector built around the collision point




Based on track detectors in magnetic fields
and energy detectors (calorimeters)

Transverse momentum (p_T) and eta (η)



Particle production



The number of particles produced per unit of η is approximately constant

Detector shape and parameters

LHC environment (circular collider of 7 TeV protons at a huge rate) and the Physics searched motivated the design of the multi-purpose detectors ATLAS and CMS

Need to measure/identify:

Muons

Electrons


Photons

Taus

Jets

B tagged jets (requires identification of secondary vertices)

Neutrinos and other non-interacting particles



In an environment of **pile-up** of collisions (seen in next slide)
With a lot of **radiation** that damages the detectors

LHC environment


What do we expect roughly speaking at $L = 10^{34} \text{ cm}^{-2}\text{s}^{-1}$?

Assume detector with coverage over $-3 < \eta < 3$ ($\theta = 5.7^\circ$)
for tracks and $-5 < \eta < 5$ ($\theta = 0.8^\circ$) for calorimetry:


- ✓ Most of the energy is not seen! (300000 GeV down the beam pipe)
- ✓ ~ 900 charged tracks every 25 ns through inner tracking
- ✓ ~ 1400 GeV transverse energy (~ 3000 particles) in calorimeters every 25 ns

Pile-up

Pile-up is the name given to the impact of the 10-40 uninteresting (usually) interactions occurring in the same bunch crossing as the hard-scattering process which generates



About neutrinos



About neutrinos

One word about neutrinos in hadron colliders:

- since most of the energy of the colliding protons escapes down the beam pipe, one can only use the energy-momentum balance in the transverse plane
 - > concepts such as E_T^{miss} , missing transverse momentum are used everywhere
- the detector must therefore be quite hermetic
 - > no neutrino escapes undetected
 - > no human enters without major work
(fast access to some parts of the detectors is difficult)

Detector shape and parameters


Needs very fine granularity near the collision point to identify isolated tracks of each charged particle

Needs coverage to very near the beam pipe to be able to identify missing transverse energy (momentum)

Needs to be radiation hard


Needs to be very fast producing a manageable volume of data to record. It is impossible to record all events.

Needs a trigger system able to select the few interesting events to record and reject the uninteresting ones






Measuring momentum - bending path of charged particles in magnetic field

ATLAS A Toroidal LHC Apparatus



CMS Compact Muon Solenoid



CMS advantage: 4T (vs 2T in ATLAS inner tracker); much easier to visualize
CMS disadvantage: huge amount of iron for return flux produces multiple scattering for the muons decreasing resolution in momentum measurement

How to measure the momentum of large momentum particles

Momentum resolution


$$\frac{dp}{p} \propto \frac{p}{BL^2}$$

So, optimize BL^2


Need a large lever arm L
(choice of *ATLAS*)

or

a large magnetic field B
(choice of *CMS*, $B = 4 \text{ T}$)




How detectors work - ionization




Passage of a charged particle through matter releases electrons from the atoms along its path producing ionization

ATLAS Liquid Argon calorimeter
LArg + Pb




How detectors work


Ionization in a gas filled tube




- Passage of particles creates within the gas volume electron-ion pair
- Electrons are accelerated in a strong electric field \rightarrow amplification
- The signal is proportional to the original deposited charge or is saturated (depending on the voltage)



Muon chambers:




● In general, only **muons** (and **neutrinos that are not detected**) arrive here



They leave tracks in stacked long gas filled tubes of the muon detector.


Several planes of chambers allow to reconstruct the track of the particle




Inner trackers

Inner trackers

CMS - all silicon detector (pixels and strips)





ATLAS - pixels and strips at inner radii followed by a gaseous transition radiation detector at larger radii




Tracking detector

- Immerse in a solenoidal magnetic field
- Allows the “**visualization**” of the charged particles tracks
- Allows the determination of the **collision point**
- Gives information about **secondary vertices**
- Inner layers made of semiconductors. In ATLAS, outer layer is transition radiation detector and a ionization tracker




Principle of semiconductor detectors

- Apply voltage to deplete charges in thickness d




- Ionizing particles create free charge carriers (electrons and holes)

- Charge carriers drift to electrodes and induce signal



Semiconductor pixel detectors



ATLAS pixel has 80 million channels – readout is complex

Readout chip mounted on top of pixels – defines the size of the pixel (50 x 400 μm)


CMS pixel has 66 million channels, size 100 x 150 μm

Pixel detectors allow track reconstruction at high particle rate without ambiguities


Calorimeters

Calorimeters:

- Participate in the **identification** of particles
- The **e.m. calorimeter** measures the **energy of electrons and photons**
- The **hadronic calorimeter** measures the **energy of hadrons**




ATLAS calorimeters



CMS ECAL

Interactions of high energy electrons/positrons

The main way of energy loss for **high energy electrons/positrons** is bremsstrahlung (braking radiation)



Strong deceleration happens when the particle passes near a nucleus


there is emission of photons

energy of the electron that is losing energy by bremsstrahlung:
 $E = E_0 \exp(-x/X_0)$

X_0 is the radiation length

Interaction of high energy photons

The main interaction of **high energy photons** is the production of electron-positron pairs




happens near a nucleus

photon energy needs to be above $2 \times 511 \text{ keV}$

Electromagnetic shower

For high energy photons or electrons/positrons, pair production and bremsstrahlung are respectively the most probable way to lose energy. They will alternate in a particle shower.



photon origins e^+ e^- pair

electron/positron radiates photon

process repeats when particle energy is high enough

Electromagnetic showers allow the absorption of photons/electrons/positrons in calorimeters

number of particles in the shower grows with time

Electromagnetic shower


Critical energy:

$$\left. \frac{dE}{dx} (E_c) \right|_{\text{Brems}} = \left. \frac{dE}{dx} (E_c) \right|_{\text{Ion}}$$

Approximations:

$$E_c^{\text{Gas}} = \frac{710 \text{ MeV}}{Z + 0.92} \quad \left[E_c^{\text{Sol/Liq}} = \frac{610 \text{ MeV}}{Z + 1.24} \right]$$

$$\left(\frac{dE}{dx} \right)_{\text{Brems}} / \left(\frac{dE}{dx} \right)_{\text{Ion}} \approx \frac{Z \cdot E}{800 \text{ MeV}}$$




with:

$$\left. \frac{dE}{dx} \right|_{\text{Brems}} = \frac{E}{X_0} \quad \& \quad \left. \frac{dE}{dx} \right|_{\text{Ion}} \approx \frac{E_c}{X_0} = \text{const.}$$

After the critical energy shower does not grow.

Shower maximum at $x_{\text{max}} \propto \ln\left(\frac{E_0}{E_c}\right)$

ATLAS Liquid Argon e.m. calo



Absorber is lead

Active medium is liquid argon

Shape is according to avoid particles crossing only absorber or only active medium


Located inside a cryostat

It is radiation hard

High granularity in front and longitudinal segmentation for better **e/gamma identification**

Relatively small back cells to be sensitive to energy lost in cryostat

CMS crystal electromagnetic calo




Homogeneous calorimeter

Lead tungstate (PbWO_4) crystals create electromagnetic showers and produce scintillation light

High density (8.3 g/cm^3), fast decay time allows to collect 80% of light in 25 ns


Radiation hard

Allows excellent energy resolution




Module of 200 crystals

Hadron calorimeter



ATLAS TileCal hadron calorimeter

Hadron calorimeter with good performance at low cost




- Scintillating Tiles and WLS optical fibres
- Photomultiplier tubes (PMTs)
- Steel/Tiles, ratio 4.7 : 1 ($\lambda = 20.7$ cm)
- 10 k channels (5000 cells)
- Transversal granularity $\Delta\eta \times \Delta\phi = 0.1 \times 0.1$
- Longitudinal segmentation: 3 layers
- Containment $\sim 98\%$ TeV hadrons, jets
- ATLAS jet resolution: $\sigma_E/E \sim 50\text{-}60\%/\sqrt{E} \oplus 3\%$

Robust technology for barrel region, but not suited for end-caps (radiation damage)

In end-caps use Liquid Argon technology

Hadronic showers and jets



**Hadronic showers
originate jets of particles**

Hadronic showers are similar to electromagnetic ones but much more complex


They originate from the interaction of particles made of quarks or gluons

They have larger intrinsic fluctuations in energy detectable by detectors: there are nuclear interactions taking energy, it may include neutrinos, muons, neutrons, etc that may escape totally or partially, etc


How detectors work

Scintillation – organic scintillators


Charged particles deposit energy causing excitation of solvent and dopants molecules. Fast de-excitation by fluorescence. Light collected by photodetector.




Hadronic calorimeter Tilecal




Photodetector - PMT example





Photons hitting the photo cathode release electrons (photoelectric effect). Electric fields accelerate electrons to dynodes, multiplying the number of electrons that arrive at the anode.




Tilecal layout



Fibre bundles
(at outer radius)



44




Fibres start at different R and go radially out =>

- No cracks in ϕ
- depth segmentation
- PMTs at outer Radius

ATLAS Tile cells $\Delta\eta \times \Delta\phi = 0.1 \times 0.1$ (0.2×0.1 in outer layer) and 3 layers driven by LHC requirements and electronics readout costs

Optics granularity ($\sim 620\text{k}$ fibres 400k tiles):

- $\Delta\eta$: 3mm tiles every 9-18mm in Z
- ΔR : 11 tiles and 8 fibres in R
- $\Delta\Phi$: 20 cm tiles



Trigger and Data Acquisition (TDAQ)

Trigger - online selection

Much of LHC physics means cross sections at least $\sim 10^6$ times smaller than total cross section


25ns bunch crossing interval (40 MHz)

Offline storing/processing: ~ 1000 Hz


In one second at design luminosity:

- 40 000 000 bunch crossings
- ~ 2000 W events
- ~ 500 Z events
- ~ 10 top events
- ~ 0.1 Higgs events
- **1000 events written out**

The right 1000 events should be written out!



ATLAS Trigger and Data Acquisition (TDAQ) Run 2



HEP detectors are quite complex systems

But many times they deliver what we are expecting from them
(example of Higgs at ATLAS)


Slide 2008 - forecast

SM Higgs



Preliminary: ATLAS Higgs discovery potential for 10 fb^{-1}

From fit-based approach by
W.Quayle, 30 Jan, 08 in Higgs WG

**One year of LHC operation (10 fb^{-1})
should be enough for the SM Higgs
discovery**



Discovery 2012, $\sim 10 \text{ fb}^{-1}$



BACKUP

CMS solenoid



Huge solenoid

Length: 12.5 m

$B = 4 \text{ T}$

$I = 19500 \text{ A}$


Stored energy

$E = 2.3 \text{ GJ}$



(half-a-tonne of TNT
equivalent)

ATLAS muon spectrometer

ATLAS toroid coils - they are huge and produce the toroidal magnetic field of the muon spectrometer



ATLAS and CMS subdetector design parameters



Tracker

$|\eta| < 2.5$ coverage

$$\sigma / p_T \approx 5 \cdot 10^{-5} p_T \oplus 0.01 [\text{GeV}]$$

$|\eta| < 2.6$ coverage

$$\sigma / p_T \approx 1.5 \cdot 10^{-5} p_T \oplus 0.005$$

EM Calorimeter

$|\eta| < 4.9$ coverage

$$\sigma / E \approx 10\% / \sqrt{E} [\text{GeV}]$$

$|\eta| < 4.9$ coverage

$$\sigma / E \approx 2-5\% / \sqrt{E}$$

HAD Calorimeter

$|\eta| < 4.9$ coverage

$$\sigma / E \approx 50\% / \sqrt{E} \oplus 0.03 [\text{GeV}]$$

$|\eta| < 4.9$ coverage

$$\sigma / E \approx 100\% / \sqrt{E} \oplus 0.05$$

Muon Spectrometer


$|\eta| < 2.7$ coverage:

$$\sigma / p_T \approx 0.07 \text{ (1 TeV muons)}$$


$|\eta| < 2.6$ coverage:

$$\sigma / p_T \approx 0.10 \text{ (1 TeV muons)}$$

Where and how do we see the particles?



Principle of semiconductor detectors



- Large gap: the solid is an insulator.
- No gap: it is a conductor.
- Small band gap: semiconductor
- For silicon, the band gap is 1.1 eV, but it takes 3.6 eV to ionize an atom. The rest of the energy goes to phonon excitations (heat).

Principle of semiconductor detectors

Silicon can be doped with donors of electrons (e.g. Phosphorus, group V) creating **n-type semiconductor**

Donors introduce energy levels near the conduction band, almost fully ionized



Electrons are the major carriers

Or

Silicon can be doped with acceptors of electrons (e.g. Boron, group III) creating **p-type semiconductor**


Acceptors introduce energy levels close to valence band 'absorbing' electrons from it, creating holes

Holes are the major carriers




Semiconductors p-n junction

- p- and n-doped semiconductor combined
- Gradient of electron and hole densities results in a diffuse migration of majority carriers across the junction.
- Migration leaves a region of net charge of opposite sign on each side, called the depletion region (depleted of charge carriers).



Semiconductor strip detectors




If the number of particles arriving simultaneously to the detector is small, using strips (in 2 perpendicular directions) allows to know where the particles cross the detector

ATLAS SCT has 7 million channels with 10 μm precision

CMS strip detector has 10 million channels

In case of high particle fluences, ambiguities cause difficulties in the tracks reconstruction, another kind of detector (pixels) is needed

ATLAS Liquid Argon e.m. calo




Larg calo response is relatively slow
ATLAS LArg calorimeter uses bipolar shaping


Remember that LHC collisions happen every 25 ns

Timing to help in pile-up rejection

No timing cut



Cut $\Delta t < 90\text{ps}$ (3σ at 30ps)



If the timing precision is of the order of ps then pile-up coming from different times during the bunch crossings can be removed


Timing alignment

When particles are leaving the detector at the speed of light there were already a few more collisions at the center of the detector.

Correct timing in the event is crucial for trigger and offline analysis

$$c=30\text{cm/ns}; \text{ in } 25\text{ns}, s=7.5\text{m}$$

0712md-2656/97



ATLAS Level 1 architecture

Level 1 uses **calorimeter** and **muon** systems only to decide in $2.5 \mu\text{s}$

Muon spectrometer:

- Dedicated trigger chambers
 - Thin Gap Chambers (endcap) – TGC
 - Resistive Plate Chambers (barrel) – CSC

Calorimeter:

- Trigger towers group calorimeter cells in coarse granularity: $\Delta\eta \times \Delta\phi = 0.1 \times 0.1$ (EM/Tau); $\Delta\eta \times \Delta\phi = 0.2 \times 0.2$ (Jets)

Identify **regions of interest (RoI)** and classify them as MU, EM/Tau, Jet

Relevant information is passed to Level 2 / High Level Trigger (in Run 1 / Run 2) where much more detector information is available for decision

